## This Page Is Inserted by IFW Operations and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

Applicant: Copiskly, etal. Title: Mass Producible Custom-made Shor inspers

SLICE NOT YET ASSIGNED TILL THE WITH COPI PAU-DE Short 1 019




Fig. 1 (PRIOR ART)





Fig 3A

(PRIOR ART)

APPlicant: Copeskey, etal
Thue: Mdss Producible CustomMode shoe enserts
Slaul no: Not yet Assigned
Filed: Herwith
Out Rolino: Copi pav.02
Sheet 2019

X 15

F.g. 3B (PROR ART)



(PRIOR ART)

A PPHICUNE: Poposkey, etal
Title: Mass Producible Custom-Mode
Shoe Insects
Sinial NO: Not yet Assigned
Filed: Herzinian
Dur Rol. No: copi. DAU.02
Shoet 3009

Fig HA




Fig. 4B





Fig 5A



F.g.53

Applicant: Corpskey retal.

THE MOSS PRODUCIBLE CustomMade Shoe INSERTS

Jehill NO: NOT YET ASSIGNED

FILL HALLING

OUR RUI. NO: CUPI. PANOL

Sheet Sol





Fig. SC




F. 50 5D

Applicant: Goreske letad

THE: Mass Producible CustomMade Shu tuseets
Sural No: Hot yet Assigned
Filed: Herewith
Overlof No: Popi payon
Sheet 600 71 Fig. 6B 72 F.3.6C

Applicant: Codeskes Ltal.
Title: Mass Prodocible Custom-Mode
Store treserts
Summer Mot yet assigned
tiked: Herewith,
Outlef No: Copy, pay, or
Shut 7 of 9



Applicant Copisky ital
THEL: Mass Productive Custom-Made
shock scens
Serial No: Not yet Assistand
Fild: Harwith
Out 1225 No: COP) Paril 62
Sheet Bodg

	AVERAGE RANGES (mm)		
•	LOW AVG.	HIGH AVG.	OPTIMAL AVG.
PARAMETERS			
Thickness (Density)			
Flexible	2.7781	3.5719	3.1750
Semi-Flexible	3.5719	4.3656	3.9688
Stiff	4.3656	5.1594	4.7625
Rigid	5.1594	7.1438 or higher	6.3500
Width			
Narrow	40 or narrower	85	70
Regular	45	95	80
Wide	50	130 or higher	90
Arch Height			
Low	10 or lower	30	20
Medium	15	45	25
High	20	60 or higher	30

FIG. 7

Applicant! (objects and Tible: Mass Producible Custom-made shot thesports Serial No: Not yet Assigned Full Herminan Our Re(No. Cop! PAN 12 Sheet 9089

Order Date:	PLEASE SPECIFY		
CUSTOMER Information	Shoe Size	Body Wt.	
Name			
Age Type of exersice			
Minutes / Week exercising	Men's		
Shipping Address	Women's		
City/Zip Code			
TEL( ) FAX( )			